

**CLINICAL  
EEG**  
ELECTROENCEPHALOGRAPHY



**AUTHOR and  
SUBJECT INDEX**

**VOL. 10, 1979**

## INDEX OF AUTHORS

- Anderson, Evelyn, M., 114  
Bajandas, Frank, 105  
Bauer, G., 127  
Belluomini, J., 164  
Bird, B., 75  
Britt, Jr., Charles W., 72  
Carney, Andrew L., 114  
Ch'ien, Lawrence T., 164, 206  
Chu, Nai-Shin, 145  
Faillace, Louis A., 69  
Fineyre, F., 75  
Friedlander, Walter J., 219  
Gerson, I.M., 40  
Gibbs, Frederic A., 8  
Glass, George, 69  
Glew, Robert H., 198  
Golay, Sara, 25, 60  
Golseth, James C., 6  
Green, J., 31  
Green, Richard S., 180  
Grice, Tom, 105  
Grollman, Edwin M., 206  
Haycook, W., 31  
Holtzapple, Patricia A., 190  
Jabbari, Bahman, 190  
Jordan, J. Eric, 10, 105  
Juguillon, Augusto C., 35  
Kane, John M., 151  
Kantor, Jerry, 151  
Karabell, Sheldon, 40  
Kilgore, M., 31  
Lemmi, H., 164  
Marshall, Noel K., 190  
Maulsby, Robert L., 190  
Merikangas, James R., 198  
Milstein, Victor, 25, 60  
Morris III, Harold H., 72  
Neil, John F., 198  
Niedermeyer, E., 75, 127  
Patterson, Todd, 206  
Pike, Lillian E., 96  
Rau, John H., 180  
Ravindran, Madhavan, 168  
Reilly, Edward L., 35, 69  
Riley, Terrence L., 75, 215  
Ross, Donald C., 96  
Sexton, JoAnne, 5  
Sharpely, Patricia, 25  
Small, Joyce G., 25, 60  
Stephens, R., 31  
Struve, Frederick, A., 96, 151, 180  
Wegner, James T., 151  
Worchel, Kay, 105

## INDEX OF SUBJECTS

VOL. 10, NO. 1, 2, 3, 4, 1979

- Abscess**, brain, and complicated bacterial infections of the CNS in childhood, 207-209, 211-213  
—PLEDs, 145
- Accreditation**, EEG, 6
- Age factor** and, acute convulsions, 141  
—Tardive Dyskinesia with mitten patterns, 151-153  
—trace alternant, 215-218
- Akinetic seizures** and, grand mal type discharge, 169  
—myoclonus, 78
- Alcoholism** and, EEG in a detoxification and treatment center, 69-71  
—liver disease, 72  
—photomyoclonic response, 76  
—PLEDs, 145, 147-149  
—seizures, use of EEG, 40-49, 128, 133  
—sleep deprivation, 27  
—triphasic waves, 72
- Alpha rhythm** and, alcoholism, 40, 41, 43, 45, 70, 71  
—coma with acute convulsions, 130  
—Gaucher's disease, 199, 204  
—liver disease, 72, 73  
—myoclonus, 87  
—parkinsonism with Levodopa-Carbidopa treatment, 32  
—vascular aphasia, 191-197
- American Board of EEG**, review course, 57, 58
- American Medical EEG Association**, round-table discussion, maximizing the clinical usefulness and cost effectiveness of EEG and EMG, 5-24
- Aminophylline** intoxication, and PLEDs, 145, 149
- Amnesia**, and medial temporal lobe epilepsy, 54-56
- Amplitude changes**, (See Asymmetry, Burst suppression, Electroencephalographic silence, Flat recording, Isoelectric, and Voltage)
- Announcement**, EEG review and overview course, 57, 58
- Anoxia** and, acute convulsions, 127, 131, 133-136, 139-141  
—myoclonus, 78-80, 89-91
- Anterior temporal** localization and, alcohol abuse with seizures, 41  
—amnesia, 54, 55  
—spikes, 41, 54, 55
- Antibiotics**, and bacterial infection of the CNS, 206
- Anticonvulsants** and, acute convulsions, 127, 133, 138  
—bacterial infection of the CNS, 208  
—compulsive eating, 180-188  
—grand mal discharge, 168  
—myoclonus, 80  
—nonepileptic disturbances, 55  
—subdural hematoma with PLEDs, 146, 149
- Aphasia**, acute vascular, and prognostic value of EEG, 190-197
- Apnea**, sleep, and monitoring, 13, 14
- Arousal**, and alcohol abuse with seizures, 41, 42
- Artifact** and, EKG monitor, 11, 15, 16  
—ERG, 108  
—myogenic spikes, 77, 79, 83
- Asymmetry** and, abscess, 212  
—alcoholism, 70  
—bacterial infections, of the CNS, 206, 208, 212, 213  
—compulsive eating, 182  
—Gaucher's disease, 198  
—psychiatric patients, 97  
—subdural hematoma, 148
- Ataxia** and, Gaucher's disease, 200  
—myoclonus, 82, 83, 86  
—pacemaker aggravation, 114
- Atrophy**, cortical, and myoclonus, 79
- Auditory stimulation** and, alcohol abuse with seizures, 42, 43  
—subdural hematoma, 146  
—Tay Sachs disease, 81
- Bacterial infections**, of the CNS in childhood, and EEG, 206-214
- Beta activity**, and alcohol abuse with seizures, 41  
—L-tryptophan activation, 61, 62  
—(See also Fast Activity)
- BETS**, benign epileptiform transients of sleep, and transient global amnesia, 54
- Bipolar isolator**, and cardiac mapping, 121, 122
- Blindness** and, myoclonus, 86, 87  
—photomyoclonic response, 76
- Brain stem** and, acute convulsions, 139, 140  
—myoclonus, 79, 82
- Brain tumor** and, acute convulsions, 134-136, 139-141  
—alcohol abuse with seizures, 47  
—malignant melanoma, 35-39  
—mitten pattern, 183  
—PLEDs, 145

- trace alternant, 215, 219
- Brevital**, and temporal lobe activation, 22
- Broca's aphasia**, and EEG findings, 191, 192, 194, 195
- Bromocriptine**, and parkinsonism, 33
- Bulbar syndrome**, and acute convulsions, 140, 141
- Burst suppression** and, acute convulsions, 130, 131, 134, 136, 137, 140, 141
  - myoclonus, 90
  - subdural hematoma, 146
  - trace alternant, 215, 217, 218
- Cardiac disease** and, CLAT scores, 176
  - Down's syndrome, 206, 213
  - EKG monitor, 11, 20
  - mapping, pacemakers and EEG, 114-126
- Carpal tunnel syndrome**, and EMG, 8
- Central localization** and, alcoholism, 70
  - myoclonus, 76
  - spikes, 76
  - vascular aphasia, 191, 193-195
- Centrencephalic seizures** and, myoclonus, 78, 79, 80, 83
- Centrencephalon**, and spikes, 169
- Cerebellum** and, Gaucher's disease, 204
  - myoclonus, 75, 78-80, 82, 83, 86
- Cerebral palsy**, and myoclonus, 78
- Ceroid lipofuscinosis**, and myoclonus, 81, 82, 91
- Chloral hydrate**, and sleep, 6, 9
- Coma** and, acute convulsions, 127-132, 139
  - alcohol abuse, 46
  - alpha, 130
  - bacterial infection of the CNS, 210, 212
  - myoclonus, 80, 90, 91
  - PLEDs, 46
  - Reye's syndrome, 164
  - triphasic waves, 72, 73
- Compulsive eating**, and EEG correlates, 180-189
- Conceptual Level Analogy Test (CLAT)**, and EEG findings, 176, 177
- Control subjects** and, 14&6, 183
  - mitten patterns, 152, 154
  - sleep deprivation in psychiatric patients, 26, 27, 29
  - small sharp spikes, 54
  - tardive dyskinesia, 152, 154
- Convulsions**, acute, 127-144
  - (See also Grand mal and Seizures)
- Cost effectiveness**, EEG and EMG, 5-24
- CT scan** and, acute convulsions, 129, 140
  - bacterial infection of the CNS, 206, 208, 209, 212
  - malignant melanoma, 37
  - subdural hematoma with PLEDs, 147, 148
  - usefulness with EEG, 10
- Dalmane**, and sleep activation, 64
- Death** and, acute convulsions, 140, 141
  - Reye's syndrome, 164
- Decerebration** and, acute convulsions, 127, 139
  - subdural hematoma with PLEDs, 147
- Degenerative disease** and, Gaucher's, 198-205
  - myoclonus, 75-95
  - Parkinson's, 31-34
  - Reye's, 164-167
- Delta activity** and, alcohol, 70
  - bacterial infection of CNS, 208, 209, 213
  - Gaucher's disease, 204
  - L-tryptophan, 61
  - liver disease, 72, 73
  - pulse artifact, 16
  - sleep deprivation, 28, 29
  - trace alternant, 215-217
  - vascular aphasia, 196
  - (See also Slow activity)
- Dementia** and, acute convulsions, 129
  - Gaucher's disease, 199, 203
  - parkinsonism with Levodopa-Carbidopa, 32
- Depression**, and sleep deprivation, 25, 26, 28, 29
- Depth electrode**, and 14&6, 183
- Diazepam** and, acute convulsions, 133, 138
  - myoclonus, 80
- Dilantin** and, acute convulsions, 133
  - compulsive eating, 180, 181, 184-188
  - headache, 76, 77
  - myoclonus, 80
  - subdural hematoma with PLEDs, 146
- Dizziness** and, EKG monitor, 13, 17
  - pacemaker, 114
- Dopaminergic systems**, and Tardive Dyskinesia, 160
- Doriden**, and sleep activation, 64-67
- Down's syndrome**, and bacterial infection of CNS, 206
- Drowsiness**, and small sharp spikes, 54, 55
- Drugs** and, acute convulsions, 127, 133, 138
  - alcoholism, 69
  - bacterial infection of CNS, 206, 208
  - Brevital activation, 22
  - compulsive eating, 180-188
  - dyskinesias, 151-163
  - grand mal type discharge, 168
  - headache, 76, 77
  - myoclonus, 80
  - parkinsonism, 31-34
  - photoconvulsive response, 76
  - PLEDs, 145, 146, 148, 149
  - psychiatric patients, 97, 101, 103, 104
  - sleep activation, 6, 9, 25, 26, 60-68
  - small sharp spikes, 55
  - subdural hematoma, 145, 146, 148, 149
- Dysdiadochokinesia**, and Gaucher's disease, 200
- Dyskinesias**, and neuroleptic drugs in

- psychiatric patients, relationship of  
mitten patterns, 151-163
- Dyssynergia cerebellaris myoclonica** (Hunt),  
79, 83
- Eating, compulsive**, and EEG correlates, 180-  
189
- Eclampsia gravidarum**, and acute convulsions,  
133, 137, 139
- Edema**, cerebral, and Reye's syndrome, 164,  
166
- EKG monitoring**, 11-22
- Electrocerebral silence** and, bacterial  
infections of the CNS, 210
- EKG, 21
- ERG, 14
- Electrodes** and, cardiac placement, 115, 117,  
123, 125
- EMG, 6
- ERG, 14, 20, 21, 24, 105-108
- needle, 8, 10
- Electroretinograms** and, recordings and  
cerebral properties of unaveraged ERGs  
in routine EEGs, 105-109
- monitoring with EEG, 14, 19-22
- Emergency treatment**, and acute convulsions,  
127
- EMG**, and clinical usefulness and cost  
effectiveness, 5-24
- Empyema**, and EEG in children, 207, 212, 213
- Encephalitis** and, acute convulsions, 139
- myoclonus, 86, 91
- PLEDs, 145
- Enzyme deficiency**, and Gaucher's disease,  
198, 204
- Epilepsy** and, myoclonus, 75-95
- temporal lobe with sleep, 22
- transient global amnesia, 54-56
- (See also Seizures)
- Evoked potentials** and, alcohol abuse, 42, 43,  
48
- EMG, 8, 10
- Gaucher's disease, 199
- insomnia, 29
- Reye's syndrome, 164-167
- subdural hematoma, 146
- Fast activity** and, alcohol abuse with seizures,  
41
- compulsive eating, 182
- L-tryptophan activation, 61, 62
- psychiatric patients, 61, 62, 97
- Fees**, EMG and EEG, 8
- Fever** and, bacterial infection of CNS in  
childhood, 206, 210
- infection with alcohol abuse, 47
- Flat recording** and, bacterial infection of CNS,  
210
- EKG, 21
- ERG, 14
- myoclonus, 89, 90
- Flurazepam**, and sleep activation, 64
- Focal seizures** and, acute convulsions, 128,  
129, 131, 132, 139, 141
- alcohol, 47
- bacterial infection of CNS, 213
- subdural hematoma, 146, 148, 149
- Fourteen and six** per second positive spikes  
and, alcohol abuse, 41, 46
- amnesia, 54, 55
- compulsive eating, 182-188
- L-tryptophan sleep activation, 63, 66, 67,  
97, 103, 183, 184
- pain, 183
- psychiatric patients, 26, 27, 29, 63, 66, 67,  
97, 103, 183, 184
- sleep deprivation, 26, 27, 29
- Friedreich paramyoclonus multiplex**, 78-80, 86
- Frontal** localization and, myoclonus, 77, 79,  
83, 87
- slow waves with eye movements, 14
- spikes, 79, 83, 87
- vascular aphasia, 191, 193, 194
- Gaucher's disease**, adult neuronopathic, and  
EEG findings, 198-205
- Genetic disorder** and, Gaucher's disease, 198-  
205
- myoclonus, 75-79
- Glucocerebroside metabolism**, and Gaucher's  
disease, 198, 205
- Glutethimide**, and sleep activation, 64-67
- Grand mal seizures** and, acute convulsions,  
128-141
- alcoholism, 47
- bacterial infection of CNS, 209, 210
- Gaucher's disease, 204
- liver disease, 72
- myoclonus, 76, 78-80, 83, 86, 91
- subdural hematoma, 147, 148
- (See also Seizures)
- Grand mal type spike discharge**, as  
interseizure phenomenon, 168-169
- Hartung benign myoclonus**, 78-80, 86, 87, 91
- Head injury** and, acute convulsions, 133-140
- alcoholism, 47, 69
- blindness attacks, 76
- PLEDs, 145, 148, 149
- psychiatric patients, 96
- subdural hematoma, 148
- Headache** and, bacterial infection of the CNS,  
208, 209
- compulsive eating, 180, 181
- photoconvulsive response, 76, 77
- vascular disease with EKG monitor, 11,  
14
- Hemiparesis** and, acute convulsions, 129
- bacterial infection of the CNS, 208
- meningitis, 215
- stroke, 191, 193, 196
- subdural hematoma with PLEDs, 145,  
148
- Hepatic encephalopathy** and, acute convul-  
sions, 133, 139

- ethanol, 43
- Levodopa, 32
- triphasic waves, 72-74
- Homonymous hemianopia**, and stroke, 193
- Huntington's chorea**, and EMG, 8
- Hyperactivity**, and sleep deprivation, 26
- Hyperglycemia**, and PLED's, 145, 149
- Hypertension**, and grand mal type spikes, 169
- Hyperventilation** and, alcoholism, 70
  - EKG monitor, 13, 17, 22
  - Gaucher's disease, 199, 200, 203, 204
  - L-tryptophan induced sleep, 62, 65
  - myoclonus, 78
  - petit mal epilepsy, 9
  - psychiatric patients with sleep deprivation, 28
  - six per second spike and wave, 9
- Hypoglycemia**, and myoclonus, 88
- Hypothalamic dysfunction**, and compulsive eating, 180, 183
- Hypoxia** and, hepatic encephalopathy, 73
  - PLEDs, 145, 149
- Hypsarhythmia** and, Gaucher's disease, 199
  - myoclonus, 78-80, 82, 91
- Infantile spasms** and, myoclonus, 78-80, 82, 91
- Infarction**, and cardiac pacing, 115, 116
  - PLEDs, 145
- Infection** and, acute convulsions, 133-140
  - bacterial infection of the CNS in childhood and EEG, 206-214
  - psychiatric patients, 96
  - (See also Encephalitis and Meningitis)
- Insomnia**, and visual evoked potentials, 29
- Interpretation** and, EEG abnormality over time, test-retest reliability with psychiatric patients, 96-104
  - equivocation in EEG reporting, the clinician's response, 219-221
- Ischemia** and, acute convulsions, 139
  - alcohol abuse with seizures, 47
- Isoelectric EEG** and, bacterial infection of CNS, 210
  - EKG, 21
  - ERG, 14
- Jacksonian seizures**, and photic stimulation, 10
- Jakob-Creutzfeldt disease**, and myoclonus, 86-88, 91
- K-complex**, and trace alternant, 215
- Lafora-Unverricht-Lundborg**, and essential hereditary myoclonus epilepsy, 78-84, 91
- Lennox-Gastaut syndrome**, and myoclonus, 78, 79, 81, 82, 91
- Lethargy** and, bacterial infections of the CNS in childhood, 206, 210
  - trace alternant, 215
- Levodopa-Carbidopa** and, EEG change in parkinsonian patients, 31-34
  - myoclonus, 80
- Librium**, and alcoholism, 69
- Lipidosis**, and myoclonus, 82
- Liver disease** and, acute convulsions, 133, 139
  - ethanol, 43
  - Levodopa, 32
  - triphasic waves in a fully alert patient, 72-74
- L-Tryptophan**, and other agents for sleep EEG, 60-68
- Lymphoma**, and trace alternant, 215, 218
- Melanoma, malignant**, and EEG analysis, 35-39
- Memory**, and sleep deprivation in psychiatric patients, 26
- Meningitis** and, acute convulsions, 130, 131, 140
  - infections of CNS in childhood, 206, 207, 209, 211
  - myoclonus, 86
  - tract alternant, 215, 218
- Mental retardation** and, myoclonus, 76, 78
- Metabolic disorder** and, compulsive eating, 187
  - epilepsy, 127, 130, 131, 134-141
  - Gaucher's disease, 198, 205
  - liver disease with triphasic waves, 72-74
  - myoclonus, 82, 88, 91
  - PLEDs, 149
  - psychiatric patients, 96
  - Reye's syndrome, 164
- Metastases**, and malignant melanoma, 35-39
- Methaqualone**, and sleep activation, 64
- Methpyrion**, and sleep activation, 64-67
- Metrazol**, and photoconvulsive response, 76
- Microcephaly**, and myoclonus, 78
- Midbrain** and, acute convulsions, 129, 131, 134, 136, 137, 140, 141
  - mitten pattern, 152
  - myoclonus, 90
  - reticular formation, ethanol effect, 43
- Mitten pattern** and, alcohol abuse with seizures, 41, 46
  - compulsive eating, 182, 183
  - control subjects, 152
  - L-tryptophan induced sleep, 62
  - neuroleptic drug induced dyskinesias in psychiatric patients, 151-163
  - parkinsonism, 151, 152, 161
  - psychiatric patients, 26, 62, 97, 151-163
- Montage**, and clinical usefulness, 6, 8, 9
- Mood**, and sleep deprivation in psychiatric patients, 25-30
- Myoclonus** and, acute convulsions, 128, 129, 131, 133-135, 137, 140, 141
  - burst suppression, 215
  - EEG, a review, 75-95
  - Gaucher's disease, 199, 204
  - non-cerebral activity, 10, 11
  - sharp waves and artifact, 11
- Narcolepsy**, and REM monitor, 14
- Nasopharyngeal recording** and, small sharp spikes, 54, 56
  - temporal lobe spikes, 22, 54, 56



**Neurosyphilis**, and PLEDs, 145

**Noludar**, and sleep activation, 64-67

**Normal EEG** and, acute convulsions, 130

- alcoholism, 45, 70, 71
- cerebellar abscess, 213
- compulsive eating, 182-188
- dizzy spells, 13
- EKG monitor, 13
- equivocation in reporting, 219-221
- Gaucher's disease, 198
- hyperventilation, 9
- malignant melanoma, 37, 38
- myoclonus, 79, 86
- parkinsonian patients with Levodopa-Carbidopa, 31, 32
- psychiatric patients, 27, 97-103
- Reye's syndrome, 165
- sleep deprivation, 27
- tardive dyskinesia, 157-160
- vascular aphasia, 191-193, 196, 197

**Nystagmus**, and ERG monitor, 20, 23

**Obesity**, and EEG correlates, 180-189

**Occipital localization** and, myoclonus, 76, 82, 87, 88, 89

- spikes, 76, 82, 87-89

- vascular aphasia, 193-195

**Opsoclonus**, and benign infantile myoclonus, 82

**Osteomyelitis**, and EEG in child, 207

**Pacemaker** and, cardiac mapping and EEG in the community hospital, 114-126

- and EKG monitor with headache, 11, 14

**Pain**, and 14&6, 183

**Papilledema**, and interseizure discharge, 168, 169

**Paraldehyde** and, acute convulsions, 133, 138

- subdural hematoma with PLEDs, 148

**Paresthesias**, and compulsive eating, 180, 181

**Parietal localization** and, alcoholism, 70

- recording technique, 10
- spikes, 10
- vascular aphasia, 191, 193-195

**Parkinson's disease** and, EEG changes in patients treated with Levodopa-Carbidopa, 31-34

- EMG, 8
- mitten pattern, 151, 152, 161

**Perception**, and sleep deprivation in psychiatric patients, 26

**Petit mal seizures** and, myoclonus, 78, 86, 91

- photoconvulsive response, 76

**Petit mal variant** discharge, and myoclonus, 79, 82, 91

**Phenergan**, and sleep activation, 64-67

**Phenobarbital** and, acute convulsions, 133, 138

- bacterial infections of CNS with seizures, 208
- myoclonus, 80
- subdural hematoma with PLEDs, 146

**Phenobarbitone**, and grand mal type discharge, 168

**Phenylketonuria**, and myoclonus, 82

**Phenytoin** and, acute convulsions, 133

- compulsive eating, 180, 181, 184-188
- headaches, 76, 77
- myoclonus, 80

**Photic stimulation** and, alcohol abuse with seizures, 41, 42, 46

- ERG, 14, 19, 20, 108
- Gaucher's disease, 198-203
- L-tryptophan, induced sleep, 62, 65
- myoclonus, 75-83, 88, 91
- photoconvulsive, 29, 41, 42, 46, 75-77, 79, 81, 91, 198-203
- photomyoclonic, 29, 41, 42, 46, 75-81
- sleep deprivation in psychosis, 29
- technique, 21, 22, 24
- usefulness, 9

**PICA**, Porch Index of Communicative Ability, and acute vascular aphasia, 190-196

**PLEDs** and, acute convulsions, 130-132

- alcohol abuse with seizures, 41, 46
- subdural hematoma, 145-150

**Polyspikes** and, Gaucher's disease, 202

- interseizure, 168
- myoclonus, 76, 79, 81, 88

**Porencephaly** and, myoclonus, 79

- PLEDs, 149

**Prematurity**, and trace alternant, 215

**Promethazine**, and sleep activation, 64-67

**Psychiatric patients** and, EEG abnormality consistency test retest reliability, 96-104

- 14&6, 184
- Gaucher's disease, 199-204
- L-tryptophan activation of sleep, 60-68
- photoconvulsive response, 77
- sleep deprivation, 25-30
- tardive dyskinesia with mitten patterns, 151-163

**Psychomotor seizures** and, myoclonus, 78

**Psychomotor variant** and, L-tryptophan induced sleep, 62

- psychiatric patients, 62, 97, 103

**Psychotropic medication**, and EEG in psychiatry, 97, 101, 103, 104

**Quaalude**, and induced sleep, 64

**Rage attacks**, and compulsive eating, 180

**REM sleep** and, alcohol abuse with seizures, 42, 46

- deprivation, 25
- narcolepsy, 14

**Renal encephalopathy** and, acute convulsions, 133, 134, 138-140

- myoclonus, 88, 90

**Reporting, EEG**, and equivocation, the clinician's response, 219-221

**Respirometer**, and spirometer correlation, 12

**Reticular activation system**, and acute convulsions, 140

- Retinal disease** and, ERG with EEG, 20, 105-109
- Reye's syndrome** and, acute convulsions, 139  
—visual evoked potentials, 164-167
- Schizophrenia** and, mitten pattern, 152  
—sleep deprivation, 25, 28, 29
- Second** and, conceptual thinking tests, 176, 177  
—L-tryptophan induced sleep, 61, 64, 66  
—sleep studies, 25, 26, 61, 64, 66
- Seizures** and, acute convulsions, 127-144  
—alcohol abuse, 40-49  
—amnesia, 54-56  
—bacterial infection, 206-210, 213  
—CAT scan, 10  
—Gaucher's disease, 202, 204  
—grand mal type discharge, 168-169  
—liver disease, 72  
—myoclonus, 75-95  
—photic stimulation, 9, 10  
—sleep recording, 22, 24  
—stroke, 193  
—subdural hematoma, 145-149  
—(See also Akinetic, Centrencephalic, Focal, Grand Mal, Jacksonian, Petit Mal and Psychomotor seizures as well as Status epilepticus)
- Sex factor** and, alcohol abuse, 46  
—mitten pattern with tardive dyskinesia, 151, 153  
—sleep deprivation, 28, 29
- Sharp waves** and, acute convulsions, 130  
—alcoholism, 41, 70  
—amnesia, 55  
—Gaucher's disease, 198-200, 202, 204  
—myoclonus, 10  
—parkinsonism, 31  
—subdural hematoma, 146, 147
- Six per second spike and wave discharges**, and, alcohol abuse, 41  
—compulsive eating, 182  
—hyperventilation, 9  
—L-tryptophan sleep activation, 63, 66, 67  
—psychiatric patients, 26, 27, 29, 66, 67, 97, 103  
—sleep deprivation, 26, 27, 29
- Sleep deprivation** and, L-tryptophan activation, 60  
—psychiatric patients in relation to mood, EEG, and psychiatric diagnosis, 25-30  
—spikes in amnesia, 56  
—telephonic EEG, 9
- Sleep recording** and, alcoholism, 42-46  
—apnea, 13, 14, 18  
—conceptual thinking test, 176, 177  
—EKG monitor, 21, 22, 24  
—L-tryptophan activation, 60-68  
—myoclonus, 10, 78  
—narcolepsy, 14  
—patterns resembling trace alternant, in adult, 215-218  
—small sharp spikes, 55  
—tardive dyskinesia with mittens, 152-155  
—technique, 22  
—usefulness, 6, 8, 24
- Slow activity** and, acute convulsions, 130, 136, 139  
—alcoholism, 41-43, 45, 70  
—bacterial infection of CNS, 208-213  
—compulsive eating, 182  
—Gaucher's disease, 198-200, 204  
—grand mal discharge, 168  
—liver disease, 72, 73  
—L-tryptophan induced sleep, 63, 66, 67  
—myoclonus, 79, 83, 86  
—parkinsonian patients with Levodopa-Carbidopa, 31  
—psychiatric patients, 28, 29, 63, 66, 67, 97  
—recording technique, 9  
—Reye's syndrome, 165  
—sleep deprivation, 28, 29  
—subdural hematoma, 148  
—tardive dyskinesia, 152  
—vascular aphasia, 191-197  
—(See also Delta and Theta activity and Triphasic waves)
- Small sharp spikes** and, alcohol abuse, 41  
—amnesia, 54, 55  
—compulsive eating, 182, 183  
—L-tryptophan induced sleep, 63, 66, 67  
—psychiatric patient's, 26, 27, 29, 63, 66, 67, 97, 103  
—sleep deprivation, 26, 27, 29  
—temporal spikes, 54, 55
- Space occupying lesion**, and acute convulsions, 134-136, 139-141  
—(See also Brain Tumor)
- Speech impairment** and, acute vascular aphasia, prognostic value of EEG, 190-197  
—sleep deprivation, 26
- Sphingolipidoses**, and adult neuronopathic Gaucher's disease, 198
- Spike and wave discharges** and, alcohol abuse, 41, 46  
—compulsive eating, 182  
—Gaucher's disease, 198-202  
—hyperventilation, 9  
—L-tryptophan induced sleep, 63, 66, 67  
—myoclonus, 79, 81, 82, 85, 86, 91  
—psychiatric patients, 26, 27, 29, 66, 67, 97, 103  
—sleep deprivation, 26, 27, 29  
—(See also Six per second and Three per second spike and wave, and Petit mal variant discharges)
- Spikes** and, acute convulsions, 130-132, 136  
—alcohol abuse with seizures, 41, 46  
—amnesia, 54-56  
—bacterial infection of CNS, 210-212  
—CAT scan, 9, 10  
—compulsive eating, 182-188



- EKG monitor, 15, 24
- Gaucher's disease, 198-200, 202, 204
- interseizure activity, 168, 169
- L-tryptophan induced sleep, 62, 63, 66, 67
- myoclonus, 66, 69, 76, 81-83, 85-89
- psychiatric patients, 26-29, 62, 63, 66, 67, 97
- sleep deprivation, 26-29
- subdural hematoma, 145-160
- tardive dyskinesia, 152
- (See also Anterior temporal, BETS, Central, 14&6, Frontal, Grand mal type, Occipital, Parietal, PLEDs, Polyspikes, Psychomotor variant, Small sharp spikes, and Temporal spikes as well as Six per second spike and wave, Three per second spike and wave, Spike and wave and Petit mal variant)
- Spindles**, and L-tryptophan induced sleep, 60, 61, 64
  - sleep activation, 6
  - trace alternant, 215
- Status epilepticus**, and acute convulsions, 127, 128, 137, 138
- Stroke** and, acute convulsions, 139
  - aphasia, 190-197
- Subacute sclerosing panencephalitis**, and myoclonus, 86, 91
- Subdural hematoma** and, alcoholism, 47, 69
  - periodic lateralized epileptiform discharges, 145-150
- Substantia nigra**, and tardive dyskinesia with mitosis, 160, 161
- Suicide** and, alcoholism, 71
  - sleep deprivation, 28
- Suppression burst activity**, (See Burst suppression)
- Syncope**, and pacemaker, 114
- Tardive dyskinesia**, and mitten patterns, 151-163
- Tay-Sachs disease**, and myoclonus, 81, 91
- Technicians**, and role in EEG and EMG recording, 5, 6
- Telephonic EEG**, 9
- Television**, and photoconvulsive response, 76
- Temporal lobe seizures**, and amnesia, 54
- Temporal localization** and, alcoholism, 70
  - amnesia, 54, 55, 56
  - Gaucher's disease, 199, 204
  - nasopharyngeal leads, 22
  - spikes, 22, 54-56, 199, 204
  - vascular aphasia, 191, 193, 194
  - (See also Anterior Temporal)
- Test-retest reliability** approach, consistency of EEG abnormality over time, with psychiatric patients, 96-104
- Thalamus** and, 14&6, 183
  - myoclonus, 79, 82
- Theta activity** and, alcoholism, 70
  - bacterial infection, 208, 213
  - Gaucher's disease, 204
  - liver disease, 72, 73
  - L-tryptophan induced sleep, 61
  - parkinsonian patients with Levodopa-Carbidopa, 31
  - sleep deprivation, 28, 29
  - vascular aphasia, 195
  - (See also Slow activity)
- Three per second spike and wave discharge** and, myoclonus, 79, 86
  - photoconvulsive response, 76
  - psychiatric patients, 97
- Thrombophlebitis**, and EEG in children, 207, 210, 211
- Toxic states**, and myoclonus, 89, 91
  - (See also Alcoholism)
- Trace alternant**, and quiet sleep of an adult, patterns resembling, 215-218
- Trace discontinu**, and trace alternant, 215
- Trauma**, (See Head injury)
- Tremor** and, Gaucher's disease, 199
  - myoclonus, 83, 86
- Triphasic waves** and, acute convulsions, 130, 137
  - alcohol abuse, 41
  - fully alert patient with liver disease, 72-74
  - Gaucher's disease, 199, 204
  - subdural hematoma, 148
- Tuberculoma**, and PLEDs, 145
- Unverricht's myoclonus**, 82-84
- Vascular disease** and, acute aphasia, prognostic value of EEG, 190-197
  - acute convulsions, 133-136, 139-141
  - EKG monitor, 11, 14
  - PLEDs, 145-150
  - (See also Cardiac disease)
- Ventriculitis**, and EEG in child, 207
- Vertebral basilar symptoms**, and pacemaker implantation, 114
- Vertex transient**, and myoclonus, 10
- Visual evoked potential** and, ERG, 105
  - Reye's syndrome, 164-167
- Voltage suppression**, and acute convulsions, 130, 137
  - (See also Amplitude changes)
- Vomiting** and, bacterial infections of CNS in childhood, 206, 208-210
  - compulsive eating, 186
- Wernicke's aphasia**, and EEG findings, 192, 194, 195
- Willner-Scheerer Analogy Test (WSA)**, and EEG findings, 176, 177